


PG4814USw

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

Claim 1 (Currently Amended) A compound of formula (I) or a pharmaceutically acceptable salt, solvate, or hydrolysable ester thereof,



wherein:

$R^1$  and  $R^2$  are independently hydrogen or  $C_{1-3}$  alkyl;

X represents a bond,  $CH_2$  or O;

~~$R^3$  and  $R^4$  are independently hydrogen,  $C_{1-6}$  alkyl,  $OGH_3$ ,  $CF_3$ , allyl or halogen;~~

one of  $R^3$  and  $R^4$  is H and the other is  $C_{1-3}$  alkyl;

$X^1$  is  $CH_2$ ,  $SO_2$ , or CO;

$R^5$  is

$-C_{1-6}$  alkyl [[()]] wherein said  $-C_{1-6}$ alkyl is optionally substituted by  $C_{1-6}$ alkoxy or  $C_{1-6}$ alkylthio $[[()]]$ ,

$-C_{2-6}$  alkenyl,

$-C_{0-6}$  alkyl phenyl [[()]] wherein the said phenyl is optionally substituted by one or more  $CF_3$ , halogen,  $C_{1-3}$  alkyl, or  $C_{1-3}$  alkoxy $[[()]]$ ,

$-COC_{1-6}$  alkyl, or  $SO_2C_{1-6}$  alkyl ;

$R^6$  is phenyl or a 6 membered heteroaryl group containing 1,2 or 3 N atoms wherein the phenyl or heteroaryl group is optionally substituted with 1, 2 or 3 moieties selected from the group consisting of  $C_{1-6}$  alkyl, halogen,  $-OC_{1-6}$  alkyl,  $-SO_2C_{1-3}$  alkyl, and phenyl [[()]]optionally substituted by one or more groups selected from halogen,  $CF_3$ ,  $C_{1-3}$  alkyl,  $OC_{1-3}$  alkyl, acetyl, and  $CN[[()]]$ .

PG4814USw

Claim 2 (original) A compound according to claim 1 wherein each R<sup>1</sup> and R<sup>2</sup> is independently H or methyl.

Claim 3 (original) A compound according to claim 2 wherein R<sup>1</sup> and R<sup>2</sup> are both H or both methyl.

Claim 4 (original) A compound according to claim 3 wherein R<sup>1</sup> and R<sup>2</sup> are both H.

Claim 5 (Previously Presented) A compound according to claim 1 wherein X is O.

Claim 6 (Cancelled)

Claim 7 (Cancelled)

Claim 8 (Currently Amended) A compound according to claim ~~[[7]]~~ 1 wherein the C<sub>1-3</sub> alkyl group of R<sup>3</sup> or R<sup>4</sup> is positioned, on the phenyl on which it is a substituent, ortho to the point of attachment of the depicted phenyl to the X moiety.

Claim 9 (Previously Presented) A compound according to claim 1 wherein X<sup>1</sup> is CH<sub>2</sub>.

Claim 10 (Previously Presented) A compound according to claim 1 wherein R<sup>5</sup> is butyl or methoxyethyl.

Claim 11 (Currently Amended) A compound according to claim 1 wherein R<sup>6</sup> is phenyl or a 6-membered heterocycle selected from pyrimidine, pyridine, pyridazine and pyrazine each of which phenyl or heterocycle is optionally substituted by a C<sub>1-3</sub> alkyl substituent, and each phenyl or heterocycle is

PG4814USw

substituted by a phenyl ~~[[ ( ) ]]~~ which is optionally substituted by one or more CF<sub>3</sub>, C<sub>1-3</sub> alkyl, halogen, or CN ~~and optionally a further C<sub>1-3</sub> alkyl substituent.~~

Claim 12 (Currently Amended) A compound according to claim ~~[[2]]~~ 11 wherein the phenyl ~~[[ ( ) ]]~~ which is optionally substituted by one or more CF<sub>3</sub>, C<sub>1-3</sub> alkyl, halogen, or CN ~~[[ ( ) ]]~~ is in the meta position attached to the R<sup>6</sup> substituent at the position meta to the point of attachment of R<sup>6</sup> to the depicted N.

Claim 13 (Currently Amended) A compound according to claim 1 selected from:

2-Methyl-2-{2-methyl-4-[(4-(trifluoromethyl)benzyl){6-[4-(trifluoromethyl)phenyl]pyridin-2-yl}amino)methyl]phenoxy}propanoic acid;  
2-{4-[(Butyl{6-[4-(trifluoromethyl)phenyl]pyridin-2-yl}amino) methyl]-2-methylphenoxy}-2-methylpropanoic acid;  
{4-[(Butyl{6-[4-(trifluoromethyl)phenyl]pyridin-2-yl}amino)methyl]-2-methylphenoxy}acetic acid;  
[4-({Butyl[4'-(trifluoromethyl)-1,1'-biphenyl-3-yl]amino)methyl]-2-methylphenoxy}acetic acid;  
[4-({(2-Methoxyethyl)[4'-(trifluoromethyl)-1,1'-biphenyl-3-yl]amino)methyl]-2-methylphenoxy}acetic acid;  
[2-Methyl-4-({pentyl[4'-(trifluoromethyl)-1,1'-biphenyl-3-yl]amino)methyl]phenoxy}acetic acid;  
[4-({(2-Cyclopropylethyl)[4'-(trifluoromethyl)-1,1'-biphenyl-3-yl]amino)methyl]-2-methylphenoxy}acetic acid;  
[2-Methyl-4-({propyl[4'-(trifluoromethyl)-1,1'-biphenyl-3-yl]amino)methyl]phenoxy}acetic acid;  
[2-Methyl-4-({[2-(methylthio)ethyl][4'-(trifluoromethyl)-1,1'-biphenyl-3-yl]amino)methyl]phenoxy}acetic acid;

PG4814USw

[4-((Butyl[2-methyl-4'-(trifluoromethyl)-1,1'-biphenyl-3-yl]amino)methyl)-2-methylphenoxy]acetic acid;  
[4-((2-Methoxyethyl)[2-methyl-4'-(trifluoromethyl)-1,1'-biphenyl-3-yl]amino)methyl)-2-methylphenoxy]acetic acid;  
[4-((Butyl[4'-(trifluoromethyl)-1,1'-biphenyl-3-yl]amino)methyl)-2-methylphenoxy]acetic acid;  
[2-Methyl-4-((propylsulfonyl)[4'-(trifluoromethyl)-1,1'-biphenyl-3-yl]amino)methyl)phenoxy]acetic acid;  
[4-((Butyl[4'-(trifluoromethyl)-1,1'-biphenyl-3-yl]amino)sulfonyl)-2-methylphenoxy]acetic acid;  
[2-Methyl-4-((pentyl[4'-(trifluoromethyl)-1,1'-biphenyl-3-yl]amino)sulfonyl)phenoxy]acetic acid;  
[4-((2-Cyclopropylethyl)[4'-(trifluoromethyl)-1,1'-biphenyl-3-yl]amino)sulfonyl)-2-methylphenoxy]acetic acid;  
[4-((Butyl[4-(4-(trifluoromethyl)phenyl]pyrimidin-2-yl)amino)methyl)-2-methylphenoxy]acetic acid;  
[4-((Butyl[4-(4-chlorophenyl)pyrimidin-2-yl]amino)methyl)-2-methylphenoxy]acetic acid;  
[4-((2-Methoxyethyl)[4-(4-(trifluoromethyl)phenyl]pyrimidin-2-yl)amino)methyl)-2-methylphenoxy]acetic acid;  
[4-(((4-(4-Chlorophenyl)pyrimidin-2-yl)(2-methoxyethyl)amino)methyl)-2-methylphenoxy]acetic acid;  
[2-Methyl-4-((propyl[4-(4-(trifluoromethyl)phenyl]pyrimidin-2-yl)amino)methyl)phenoxy]acetic acid;  
[4-((Butyl[6-(4-(trifluoromethyl)phenyl]pyrazin-2-yl)amino)methyl)-2-methylphenoxy]acetic acid;  
[4-((Butyl[6-(4-methylphenyl)pyrazin-2-yl]amino)methyl)-2-methylphenoxy]acetic acid;  
[4-(((2-Methoxyethyl)[6-(4-(trifluoromethyl)phenyl]pyrazin-2-yl)amino)methyl)-2-methylphenoxy]acetic acid;  
[4-((Butyl[2,4'-dimethyl-1,1'-biphenyl-3-yl]amino)methyl)-2-methylphenoxy]acetic acid;

PG4814USw

(4-{{Butyl(4'-fluoro-2-methyl-1,1'-biphenyl-3-yl)amino}methyl}-2-methylphenoxy)acetic acid;  
(4-{{Butyl(4'-cyano-2-methyl-1,1'-biphenyl-3-yl)amino}methyl}-2-methylphenoxy)acetic acid;  
(4-{{Butyl(4'-methoxy-2-methyl-1,1'-biphenyl-3-yl)amino}methyl}-2-methylphenoxy)acetic acid;  
(4-{{Butyl(4'-chloro-2-methyl-1,1'-biphenyl-3-yl)amino}methyl}-2-methylphenoxy)acetic acid;  
(4-{{(4'-Chloro-2-methyl-1,1'-biphenyl-3-yl)(2-methoxyethyl)amino}methyl}-2-methylphenoxy)acetic acid;  
(4-{{(2,4'-Dimethyl-1,1'-biphenyl-3-yl)(2-methoxyethyl)amino}methyl}-2-methylphenoxy)acetic acid;  
(4-{{(2-Methoxyethyl)(4'-methoxy-2-methyl-1,1'-biphenyl-3-yl)amino}methyl}-2-methylphenoxy)acetic acid;  
(2-Methyl-4-{{[2-methyl-4'-(trifluoromethyl)-1,1'-biphenyl-3-yl](propyl)amino}methyl}phenoxy)acetic acid;  
(4-{{(4'-Chloro-2-methyl-1,1'-biphenyl-3-yl)(propyl)amino}methyl}-2-methylphenoxy)acetic acid;  
(4-{{(2,4'-Dimethyl-1,1'-biphenyl-3-yl)(propyl)amino}methyl}-2-methylphenoxy)acetic acid;  
(4-{{(4'-Fluoro-2-methyl-1,1'-biphenyl-3-yl)(propyl)amino}methyl}-2-methylphenoxy)acetic acid;  
(4-{{(4'-Cyano-2-methyl-1,1'-biphenyl-3-yl)(propyl)amino}methyl}-2-methylphenoxy)acetic acid;  
(4-{{(4'-Methoxy-2-methyl-1,1'-biphenyl-3-yl)(propyl)amino}methyl}-2-methylphenoxy)acetic acid;  
{4-{{Butyl[5-methyl-6-[4-(trifluoromethyl)phenyl]pyrimidin-4-yl]amino}methyl}-2-methylphenoxy}acetic acid;  
[4-{{Butyl[6-(4-methoxyphenyl)-5-methylpyrimidin-4-yl]amino}methyl}-2-methylphenoxy]acetic acid;  
[4-{{Butyl[5-methyl-6-(4-methylphenyl)pyrimidin-4-yl]amino}methyl}-2-methylphenoxy]acetic acid;

PG4814USw

[4-({Butyl[6-(4-chlorophenyl)-5-methylpyrimidin-4-yl]amino)methyl}-2-methylphenoxy]acetic acid;  
[4-({Butyl[6-(4-chlorophenyl)-2-pyrazin-2-yl]amino)methyl}-2-methylphenoxy]acetic acid;  
[4-({[6-(4-Chlorophenyl)pyrazin-2-yl][2-(methyloxy)ethyl]amino)methyl}-2-methylphenoxy]acetic acid;  
{2-Methyl-4-[(propyl{6-[4-(trifluoromethyl)phenyl]pyrazin-2-yl}amino)methyl]phenoxy}acetic acid;  
(2-Methyl-4-{{5-methyl-6-[4-(trifluoromethyl)phenyl]pyrimidin-4-yl}(propyl)amino)methyl}phenoxy)acetic acid;  
(4-{{[6-(4-Chlorophenyl)-5-methylpyrimidin-4-yl](propyl)amino)methyl}-2-methylphenoxy}acetic acid;  
(2-Methyl-4-{{[5-methyl-6-(4-methylphenyl)pyrimidin-4-yl](propyl)amino)methyl}phenoxy}acetic acid;  
(2-Methyl-4-{{[5-methyl-6-[4-(methyloxy)phenyl]pyrimidin-4-yl}(propyl)amino)methyl}phenoxy}acetic acid;  
{4-[(Butyl{6-[4-(trifluoromethyl)phenyl]pyrazin-2-yl}amino)methyl]-2-ethylphenoxy}acetic acid;  
{2-Ethyl-4-[(2-methyloxyethyl){6-[4-(trifluoromethyl)phenyl]pyrazin-2-yl}amino)methyl]phenoxy}acetic acid;  
[4-({Butyl[5-methyl-6-(4-methylphenyl)pyrimidin-4-yl]amino)methyl}-2-ethylphenoxy]acetic acid;  
[4-({Butyl[2-methyl-4'-(trifluoromethyl)-1,1'-biphenyl-3-yl]amino)sulfonyl]-2-methylphenoxy]acetic acid;  
[2-Methyl-4-{{(propylsulfonyl)[4'-(trifluoromethyl)-1,1'-biphenyl-3-yl]amino)methyl}phenoxy]acetic acid;  
[4-({Butyl[6-(4-chlorophenyl)-5-methylpyrimidin-4-yl]amino)methyl}-2-ethylphenoxy]acetic acid;  
{4-[(Butyl{5-methyl-6-[4-(trifluoromethyl)phenyl]pyrimidin-4-yl}amino)methyl]-2-ethylphenoxy}acetic acid;

PG4814USw

{2-Ethyl-4-[[2-(methyloxy)ethyl]{4-[4-(trifluoromethyl)phenyl]pyrimidin-2-yl}amino)methyl]phenoxy}acetic acid;  
and  
{2-Methyl-4-[(2-propen-1-yl{6-[4-(trifluoromethyl)phenyl]pyridin-2-yl}amino)methyl]phenoxy}acetic acid.

Claim14 (Cancelled)

Claim 15 (Currently Amended) A pharmaceutical composition comprising a compound according to claim 1 ~~together with~~ and a pharmaceutically acceptable diluent or carrier.

Claim 16 (Cancelled)

Claim 17 (Cancelled)

Claim 18 (Withdrawn) A method of treating a hPPAR mediated disease or condition in a patient comprising the administration of a therapeutically effective amount of a compound according to claim 1.

Claim 19 (Withdrawn) A method according to claim 18 wherein the hPPAR mediated disease or condition is dyslipidemia, syndrome X, heart failure, hypercholesterolemia, cardiovascular disease, type II diabetes mellitus, type I diabetes, insulin resistance, hyperlipidemia, obesity, anorexia bulimia and anorexia nervosa.